

STANDARD SPECIFICATIONS

ARRANGEMENTS

OVERALL LENGTH	100'0"	30.48 м
WATERLINE LENGTH	84'4"	25.70 м
BEAM	22'6"	6.86 м
WEIGHT DISPLACEMENT	250,000 LB	113,398 ка
DRAFT	5'10"	1.78 м
FUEL CAPACITY	3,450 GAL	13,060 г
FRESHWATER CAPACITY	820 GAL	3,104 ∟
HOLDING TANK	420 GAL	1,590 ∟
DIESEL GENERATORS (2)	40.0 KW (EA)	
TWIN CAT C-32A DIESEL ENGINES	1,600 внр	1,622 мнр
The specification measurements are approximations and subject to variance.		









FLYBRIDGE ARRANGEMENT

MAIN DECK ARRANGEMENT

LOWER DECK ARRANGEMENT

OPTIONAL LOWER DECK ARRANGEMENT

GENERAL ARRANGEMENT 4 stateroom 4.5 head arrangement (2 crew staterooms, 1 crew head) His & her head configuration in master Crew utility space with galley and lounge ☐ Beach club with L-shaped lounge, wet bar with two fixed stools, hydraulic beach club transom door, and INTERIOR APPOINTMENTS Wood Finishes / Wall Covering: Fabric headliner installed on track system throughout Padded panels and whisperwall throughout Flooring: M-series tier 2 flooring includes - engineered hardwood flooring in galley, dining, salon, and day head; carpet in all staterooms; tile flooring in master head and guest heads; engineered vinyl flooring in crew head (flooring tier upgrades available at Hatteras Design Center) Integrated Interior Furnishings: M-series tier 2 flooring includes - engineered hardwood flooring in galley, dining, salon, and day head; carpet in all staterooms; tile flooring in master head and guest heads; engineered vinyl flooring in crew head (flooring tier upgrades available at Hatteras Design Center) Center island with stone countertops, waterfall sides and storage, stainless steel pedestals and (2) wood table tops with dinette seating in galley Drop soffit located over dining table fitted with accent and down lighting Port side bar with stone top in salon China storage cabinet with leather top and storage in dining area Buffet cabinet with stone top in dining area Service bar with storage above and below and stone top and backsplash in lower level fover King size berth with storage underneath, starboard settee, port dresser, night stands, and two closets in master stateroom Queen sized tapered berth with storage underneath, night stands and two hanging lockers in bow stateroom Twin berths, night stand and hanging locker in port stateroom □ Sliding berth in port stateroom.......OPT Queen sized tapered berth with storage underneath, night stands and hanging locker in starboard stateroom Over/under berths with closet in port crew stateroom; full berth with night stand, desk with storage above and below, built-in drawers in aft bulkhead and hanging locker in starboard captain stateroom Lounge seating with solid surface countertop in crew quarters Towel bar, towel ring, and tissue holder accessories in all heads Full-length mirror in all staterooms □ Safe in master stateroom closetOPT Cedar lined storage areas in all staterooms Furniture: Sofa, loveseat, armchairs (3), end tables (3), cocktail tables (2) in salon Dining table and 8 chairs in dining area Interior Lighting: Dimmable LED lighting throughout Lighted stairways Mattresses: System 5 premium mattress in master state room □ Mattress system upgrade in master stateroom........OPT System 3 premium mattress in all guest staterooms excluding crew System 2 premium mattress in starboard captain and port crew staterooms (lower berths), Talalay latex mattress upper berth in port crew stateroom

	gn reatures:	
	ries tier 2 interior fabrics, linens, bedding, wallcoverings, stone, tile, and countertops (tier upgrade selected at	Hatteras
	sign Center) I frameless windows with tinted safety glass and manual privacy blinds in salon and dining area; Manual privac	cy curtain for aft
	on door	
	lights with manual privacy blinds in master and midship guest staterooms and heads; black out inserts in bow	, port crew, and
	rboard captain staterooms	
	ramic skylight in galley with dark tint	ODT
	Power blinds in main deck salon and dining	OP1
	Power blinds in main deck salon, dining and all staterooms (excluding bow, crew, captain staterooms	ODT
а	and midship guest heads)	OP1
EXT	ERIOR APPOINTMENTS	
Inteo	grated Exterior Furniture:	
	aped riding seat with storage underneath; L-shaped bench lounge with (2) cocktail tables; bench seating with	dining table
	h cover and 5 chairs; bar, grill, and storage cabinets; and two adjustable helm chairs on flybridge	
	eabinet with (3) bar stools; bench lounge with Teak table with cover, stainless steel pedestals, and three armles	s collapsible
	airs on aft deck	5 55 map 5 m 5 m
	ounge with storage beneath; fore and aft facing bow seating with storage beneath and Teak table with cover of	n how deck
Ē		
_		
_		
_		
	·	
Panto Panto Powe Aft de Paint Fiber C	ric salon entrance door from aft deck ograph door port side with electric lock in galley ograph transom bustle door ered sliding door at bridge deck to interior accommodations eck stairwell to crew quarters ed aluminum arch and radar mast glass hardtop with 3-sided acrylic enclosure on open flybridge 1. Hydraulic swim platform	OPT OPT
Exte	rior Hardware and Anchoring System:	
	hed stainless steel railings on bow and flybridge	
Polisl	hed stainless steel grab rails and stanchions on aft deck	
Stain	less steel deck fills for fuel, water, and waste pump out	
	air horns	
	Kahlenberg air horn with larger compressor	OPT
	less steel gates from aft deck to swim platform	
Bulwa	ark gates (2) port and (2) starboard	
Stain	less steel swim platform reboarding ladder	
	e polished stainless steel plow anchor, 300 feet of chain, custom stainless steel chute on centerline,	
and	d single hydraulic windlass with controls at anchor and helm station	
	Dual Poole-style anchors in stainless steel lined hull pockets with dual windlasses, spurling tubes,	
С	hain wash, and stud-link chain	
	Chain counter and display (One anchor only)	
	☐ Hydraulic davit, 1,700 pounds (non-telescoping) mounted on bridge deck (144" boom)	
г	7 Port and starboard stern docking windlass 1,000 pound	OPT

4,500 pound hydraulic windlass, with controls at anchor and helm station	
☐ Hydraulic davit, 1,700 pounds (non-telescoping) mounted on bridge deck (144" boom)	
☐ Port and starboard stern docking windlass, 4,000 pound	OPT
4 stainless steel horn hawsers and four fixed polished stainless steel cleats	
Two polished stainless steel pop-up cleats on swim platform	
Solid stainless steel rub rail	
☐ Swim platform stainless steel removable hoop rails	OPT
Exterior Lightings	
Exterior Lighting: Overhead tricolor LED lights on aft deck and flybridge	
Low level courtesy LED white lights	
☐ Low level courtesy LED write lights	OPT
Four transom LED underwater white lights	
☐ Bicolor underwater lights (4)	OPT
☐ Full spectrum underwater dancing lights (4)	
☐ Provisions for lighted transom name	
APPLIANCES	
Interior Appliances:	
Upright 48" refrigerator with freezer and icemaker, four-burner induction cooktop with vented ran	ge hood, microwave, oven,
dishwasher, and sink with garbage disposal in galley	
Wine cooler in galley	
☐ Appliance wood panels to match cabinetry in lieu of stainless steel	
□ Integrated coffee maker in galley	
☐ Appliance in lower cabinet of service bar near staterooms	
Bar with refrigerator, icemaker, and bottle/glass storage in salon	
Laundry room with washer, dryer and linen storage in lower level companionway	
Exterior Appliances:	
Grill cabinet with Kenyon Texan grill, refrigerator and storage; bar cabinet with sink, refrigerator, id	emaker and storage; storage
cabinet with shelving on flybridge	Jernaner and eterage, eterage
Bar cabinet with sink, refrigerator and icemaker on aft deck	
- Land Calabrian Maria Calabria Calabri	
Crew Appliances:	
Crew galley including microwave/convection oven, refrigerator/freezer drawer unit with icemaker,	sink and washer and dryer in
crew lounge	
SYSTEMS	
Propulsion / Fuel Systems / Hull Design and Performance:	
Twin Caterpillar® C-32A 1,600 BHP diesel engines with digital engine monitoring	
□ Twin CAT C-32A 1,800 BHP diesel engines	
□ Twin CAT C-32A 1,900 BHP diesel engines	
□ CAT Three60 joy stick control system (available with C-32A 1,900 BHP only) requires selection	
optional stern thruster	
□ Twin MTU 12V-2000 1,920 BHP diesel engines	
□ Twin MTU 16V-2000 2,600 BHP diesel engines	
☐ Wing docking station with clutch, throttle, and bow thruster control	
☐ Wing docking station with CAT Three60 joystick control.	
Resin-infused solid fiberglass hull bottom with resin-infused foam core hullsides Hull and super structure painted with a white premium polyurethane coating	
Ablative polymer/copper based anti-fouling bottom paint	
Molded fiberglass longitudinal stringers with steel engine beds	
Finished engine room and bilges	
Fuel water separator/filters with electric priming pumps	
Fuel transfer system with integrated pump protection and full tank shut off switch	
□ 30-micron triple Racor filtration on fuel transfer pump	OPT
Oil changing system for engines, generators and gears	
Fiberglass fuel tanks constructed with fire-retardant resin and bronze fittings	
Stainless steel rudders with manganese bronze dripless rudder seals	
Alloy 22 high strength propeller shafts tapered with round keys	

Manganese bronze struts and engine coupling NiBrAl high performance 8 blade propellers Hatteras designed under water exhaust system Generator exhaust water separator Hydraulic fin stabilizer system Hydraulic 55 hp dual prop bow thruster Hydraulic 45 hp stern thruster Zero Speed stabilizer system.	
Engine Room Systems: FM200 fire extinguisher system with automatic and manual controls 24VDC bilge and sump pump systems High volume emergency bilge pump All underwater through hull valves are bronze/chrome through-bolted with electrical bonding throughout Electric hydraulic power steering with dual rams and individual rudder control AC compressed air system with regulator and accessory connection AC tubeaxial exhaust discharge fans (2) for engine room Two AC ventilation fans	OPT
Air Conditioning: HVAC controls located in all staterooms, crew area, salon, and galley Interior chilled water air conditioning, (3) 5-ton, with reverse cycle heating and soft starting AC compressors Extraction air system in all heads with overboard discharge ——————————————————————————————————	OPT
Water Systems: Freshwater wash down outlet on swim platform, bow deck, flybridge, and engine room Freshwater shower on swim platform AC freshwater pump Centralized freshwater manifolds with shutoffs (1) 50 gallon & (1) 30 gallon 240 volt water heaters □ Add hot water recirculating loop	OPT
Electrical Systems: 240V, 100A retractable shore cords with wireless remote control (2) 100A polarization transformers with boost function (2) AGM 24 volt heavy duty marine battery banks mounted in fire retardant fiberglass boxes (2) Automatic battery charger (2) Automatic battery paralleling system with switch on helm console Battery control panel with fuses and isolation switches located in engine room AC and DC distribution panels with magnetic circuit breakers DC electronics panel with magnetic circuit breakers Smoke detectors located in all staterooms, salon, galley, crew area, and electronics locker CO detectors located in all staterooms, salon, galley and crew lounge USB charging ports in all staterooms, salon, galley and crew lounge Two 40KW generators Accessible AC outlets with ground fault protection throughout Atlas shoreline frequency converter	OPT
System Monitoring and Yacht Management: Proprietary HattCON systems monitor □ Port and starboard wide angle cameras	OPT

	and exterior audio video systems - see AV supplement for details and optional upgrade packages
Omni-c	directional TV antenna
	Premium audio visual system with Crestron automation, integrated storage and dedicated whole boat network (suggested to be combined with internet connectivity and entertainment package)
	Internet connectivity and entertainment package, including cellular data access, whole boat wifi, and
	Direct TV with 6 tuners
	Satellite internet and phone packageOPT
China,	Crystal and Flatware:
Formal	china, crystal and flatware with integrated storage; service for 8
Supply	Items:
Stern f	lag staff with ensign
	d nylon mooring lines (6), Life jackets (12), Life rings (2), Fender hangers, leather with wool liners, (6), lers (6), Fog bell
	ss portable vacuum w/mounting brackets (2)
	le "drychem" fire extinguishers in compliance with USCG and ABYC standards
	Prop removal and installation tool
	supply items (details in supplement)
	Two 8 person life rafts with hydrostatic release installed in compliance with United States Coast Guard and ABYC standards
HATT	ERAS WARRANTY
1 year	world wide warranty: see express limited warranty for details

Entertainment Equipment:

10 year hull warranty: see express limited warranty for details

