

Introducing the CABO 41















For weekend warriors and serious fisherman focused on the catch, we know the ocean is more than a destination—it's your passion. CABO 41 does more than just get you there, it keeps you going. From kite fishing with live bait to deep-drop fishing for that trophy catch, everything else fades away. Do more, stay dry, and *Fish On*.





2







Pursue the ocean with confidence











CABO 41 has every detail covered, from the optional full tower with outriggers to the 500-pounds-per-day ice maker, rocket launchers, spacious seating, and tackle center. CABO 41 is purpose-built to give you a smooth ride, to keep you dry, and to let you get to the fishing. To see the full list of standard and optional items, turn to pages 14–15.









Elegant form meets function















OVERALL LENGTH

40'2" 12.19 M

OVERALL LENGTH W/BOW PULPIT 42'10" 12.80 M

BEAM

15'9" 4.57 м

DRAFT

3'5" 0.91 M

FUEL CAPACITY

550 GAL **2,082** L

TWIN VOLVO D11 DIESEL ENGINES*

617 BHP 625 MHP

WEIGHT DISPLACEMENT 31,000 LB 14,061 KG

FRESHWATER CAPACITY 95 GAL 360 L

DIESEL GENERATOR 11.0 KW














Engineered for power and agility




CABO 41 inspires confidence. No matter your lifestyle, we have a configuration to meet your ambitions with professional features, including a state-of-the-art three-screen navigation system with joystick control; full tower helm station optional. For full details and more features, please see pages 14–15.













GENERAL	ARRANGEMENT	6
	1 stateroom, 1 head arrangement (sleeps 4)	Standard
COCKPIT	/TOWER/ELECTRONICS	
COCKFII	Cockpit: 103 square feet including mezzanine with seating and cushions	Standard
	Two insulated fish boxes, each with macerator	Standard
	48 Gallon bait tank molded into transom	Standard
	Stainless steel rod holders located in port (2) and starboard (2) gunwales	Standard
	Tackle storage on mezzanine	Standard
	Transom door with top gate, heavy-duty polished stainless steel hardware	Standard
	Raw water washdown	Standard
	Aluminum reinforcing plate installed for mounting fighting chair or rocket launcher	Standard
	Stern hawser pipes and 12" stainless steel cleats	Standard
	APPOINTMENTS ishes/Wall covering/Fabric/Flooring	
WOOU FIII	European Walnut open grain interior with a satin finish	Standard
	Coordinated interior fabrics, wallcovering, flooring,	Staridard
	and Corian countertops throughout	Standard
	and Conan Countertops unoughout	Standard
ntegrated	d Interior Furnishings	
5	Full-sized tapered berth with assisted lift access to storage and drawers beneath	Standard
	Hanging locker in forward stateroom	Standard
	Mirrored storage cabinet over sink in head	Standard
	L-shaped lounge in main cabin converts to double berth	Standard
	Storage under settee	Standard
	•	
Design Fe		
	White or black windshield frame	Standard
	Foredeck hatch, with retractable shade/screen	Standard
	Hullside rod storage in forward stateroom	Standard
	Rod storage cabinet and hullside rod storage in main cabin	Standard
nterior Li	•	Standard
	LED lighting in living areas LED white lights in engine room	Standard
	LED Writte lights in engine room	Stariuaru
XTERIO	RAPPOINTMENTS	
Helm and	Mezzanine	
	Molded fiberglass helm deck, hydraulically lifted with integrated access hatch	Standard
	L-shaped lounge port side with storage below	Standard
	Integrated helm station with palm beach controls and vessel interface systems	Standard
	Pedestal mounted adjustable helm chair	Standard
	Helm deck companion chair mounted on starboard cabinet	Standard
	Molded-in, non-skid surface in cockpit and helm decks	Standard
	Large helm deck starboard cabinet providing storage and refrigerator	Standard
	Open helm deck with wraparound windshield and windshield wipers	Standard
	Helm cabinet: Refrigerator and tackle storage	Standard
	Lighted compass	Standard
vtorior II	arduare and Anchering Cyctom	
xtellol n	ardware and Anchoring System Aluminum bow rail	Standard
	Anchor: 25' of galvanized chain, 250' of anchor line	Standard
	Bow pulpit, heavy-duty DC electric windlass with remote switches	Staridard
	from bridge and deck	Standard
	Polished 12" stainless steel spring cleats (4)	Standard
	Polished 12" stainless steel bow cleats (2)	Standard
	Dual air horn	Standard
		Standard
Exterior Li		
	DC LED courtesy lights in helm deck area	Standard
A DDL LAM		
APPLIANO		
intellidi A	ppliances Under-counter refrigerator and freezer drawer unit, microwave oven,	
	and ceramic cook top in galley	Standard
		Standard
Exterior A	ppliances	
	Refrigerator in starboard helm deck cabinet	Standard
HULL/EX		
Propulsion	n/Fuel Systems/Hull Design and Performance	
	Solid fiberglass hull bottom with molded fiberglass construction foam core from chine to sheer	
	Covered by a CABO 5-year hull warranty	Standard
	Ablative polymer/copper-based anti-fouling bottom paint	Standard
	Premium quality molded-in white gelcoat finish	Standard
	Molded fiberglass longitudinal stringers with steel engine beds	Standard
	Bright white bilge and engine room finish	Standard
	550-gallon fiberglass fuel tank constructed with fire retardant resin	Standard
	Power steering	Standard
	Power steering Bronze rudder with stainless steel shaft	Standard Standard
	Power steering	Standard

EXTERIOR	
sion/Fuel Systems/Hull Design and Performance	
Solid fiberglass hull bottom with molded fiberglass construction foam core from chin	e to sheer
Covered by a CABO 5-year hull warranty	Standard
Ablative polymer/copper-based anti-fouling bottom paint	Standard
Premium quality molded-in white gelcoat finish	Standard
Molded fiberglass longitudinal stringers with steel engine beds	Standard
Bright white bilge and engine room finish	Standard
550-gallon fiberglass fuel tank constructed with fire retardant resin	Standard
Power steering	Standard
Bronze rudder with stainless steel shaft	Standard
Manganese bronze rudder ports with composite bearings	Standard
Steel couplings and manganese bronze and struts	Standard
Transom zinc	Standard
Alloy 22 high strength tapered propeller shafts with zincs and round keys	
for reduced stress concentrations at propeller and coupling ends	Standard
Electric Trim tabs	Standard
Nibral high-performance propellers	Standard
All underwater thru-hull valves are bronze/chrome through-bolted	Standard
Room Systems	
FM200 fire extinguisher system with automatic and manual controls	Standard
DC exhaust blower	Standard
24VDC bilge pumps (3) and sump pump systems	Standard
Rubber deck mat between engines	Standard
Individual pickup for each engine, genset, and raw water-cooled equipment	Standard
Centralized drain system with single thru-hull	Standard

Water Systems	
11-gallon water heater	Standard
95-gallon polyethylene water tank	Standard
Pressurized fresh water pump	Standard
24V DC sealed shower sump	Standard
20-gallon holding tank with warning light, macerator, and dockside discharge	Standard
Holding tank 3/4 full indicator light in head	Standard
Electrical Systems	
One 220-volt, 50-amp, retractable shore cord	Standard
24-volt heavy-duty marine battery banks in fire-retardant fiberglass boxes (2)	Standard
Automatic battery charger	Standard
Battery-operated paralleling switch at helm	Standard
Battery-operated control panel with fuses, voltmeter, and isolation switches	Standard
AC and DC distribution panels with magnetic circuit breakers in main cabin	Standard
11KW Diesel generator (1) with noise enclosure	Standard
3	
System Monitoring	
Systems monitor display with visual and audible signals for exhaust temperature,	
alternator, battery voltage, high bilge water, fire warning in engine compartment,	
fire extinguisher discharge in engine room, AC power loss, smoke and carbon	
monoxide detectors, and holding tank 3/4 monitor	Standard
Entertainment Equipment	
Omni-directional TV antenna	Standard
Fusion stereo system	Standard
Air-conditioning	
Interior air-conditioning in forward stateroom and main cabin (16,000 BTU)	Standard
Safety Equipment	
Braided nylon mooring lines (4)	Standard
Life jackets (6)	Standard
Fenders (4)	Standard
Portable "drychem" fire extinguishers (3), U.L. approved type in compliance	
with United States Coast Guard and ABYC standards	Standard
Handheld air horn	Standard
OPTIONS	
Interior Color Selection	
Sandstone color scheme interior	Standard
Slate color scheme interior	Standard

Colored hull gelcoat: Sea Foam Green with white boot striping and black bottom paint

Colored hull gelcoat: Telegrey 4 with black boot striping and black bottom paint Colored hull gelcoat: Ice Blue with white boot striping and black bottom paint

Premium electronics navigation package (full tower)
Premium AV: 1400-watt, multi-zone with Fusion Apollo RA-770 with subwoofers

Premium upgrade (2 chairs) pedestal-mounted helm chair and companion helm chair Premium upgrade (3 chairs/includes 3rd helm chair option)

3-sided enclosure with U-rollups (2 each) (requires selection of tower)

Full enclosure with U-rollups (2 each) (requires selection of tower)

Coaming padding, high-density foam, white vinyl covered Swim platform

Blanket lockers in main stateroom, hullside storage over settee

Bait preparation station with cutting board on tackle storage

Bow stateroom bedding package (includes mattress pad, fitted sheet, flat sheet,

Walnut and maple cocktail table with aluminum pedestal

Joystick maneuvering system (compatible with any engine selection)

includes autopilot—must select electric bow thruster (includes electric steering if Volvo engines selected)

Upgraded generator 12.5KW (without noise enclosure)

Seakeeper ready; thru-hull and electrical wiring complete

Premium electronics navigation package (half tower)

Half tower with outriggers Electronics navigation package (half tower)

Electronics navigation package (full tower)

3rd helm chair (companion chair on port side)

Helm deck air-conditioning 24,000 BTU capacity

Ice maker in starboard helm deck cabinet

Bait freezer under mezzanine seating

Propeller installation and removal tool

Eskimo ice machine: 500 LB per day

Washdown, fresh water


Outdoor helm deck carpet

Electrical system: full 50 HZ 220V

Integrated rod storage in shower

Shrink wrap for export

2-pillow cases)



Optional

Optional Optional

Standard Optional

Optional

Optional

Optional

Optional

Optional

Optional

Optional

Optional Optional

Optional

Optional

Optional

Optional Optional

Optional

Optional Optional

Optional

Optional

Optional

Optional

Optional

Optional

Optional Optional

Optional

Optional

Optional

Optional

Optional


Optional

Optional

Optional

Optional

Optional



Exterior Color Options

Engine/Propulsion

Seakeeper

Twin Volvo D11 625 MHP Twin Volvo D11 670 MHP

Twin Volvo D11 725 MHP

Electric bow thruster

Full tower with outriggers

Seakeeper 6

Tower/Navigation/AV Options

Helm/Mezzanine Options

General Options

Twin Cummins QSM11 670 MHP

Twin Cummins QSM11 715 MHP



CABO Yachts 110 North Glenburnie Road, New Bern, NC 28560 www.caboyachts.com